International Journal of Mass Spectrometry and Ion Processes 125 (1993) 273
Elsevier Science Publishers B.V. All rights reserved

AUTHOR INDEX

Adams, J., 195
Alfred, R.L., 9, 171
Amirav, A., 63

Babcock, L.M., 45
Balasubramanian, R., R1
Bohme, D.K., R13
Braun, R., 229
Bruch, D., 215

Clark, A., R21
Collings, B.A., 207

Danon, A., 63
DeLong, S.E., 95
Dünser, B., R17

Everett, W.R., 45

Franzen, J., 165

Goldberg, N., 267
Gorshkov, M.V., 1
Gotkis, Y., R7
Grosshans, P.B., 33
Guevremont, R., 145

Hackett, P.A., 207
Hansson, T., 187
Hearn, B.A., 95
Hess, P., 229
Holmlid, L., 187
Hrušák, J., 267

Iizuka, M., 55
Ioffe, A., R7
Iraqi, M., 267

Javahery, G., R13

Knobeler, M., 127
Krishnamurthi, V., 155

Lakshmi Narasimhan, T.S., R1
Laskin, J., R7
Le Blanc, J.C.Y., 145
Ledingham, K.W.D., R21
Lezius, M., R17
Lifshitz, C., R7
Limbach, P.A., 135
Londry, F.A., 9, 171

March, R.E., 9, 171
Märk, T.D., R17
Marshall, A., R21
Marshall, A.G., 33, 135
Mathews, C.K., R1
Matsumoto, T., 55
Mayhew, C.A., 81
McNeal, T.L., 45
Mitani, M., 55
Mitchell, D.W., 95

Nikolaev, E.N., 1

Opitz, J., 215

Petrie, S., R13

Peverall, R., 81
Prosser, S.J., 241

Rayner, D.M., 207
Robl, R., R17

Sander, J., R21
Sai Baba, M., R1
Sawada, H., 55
Scheier, P., R17
Scheistl, B., R17
Schwarz, H., 75, 267
Shaik, S., R7
Singhal, R.P., R21
Siu, K.W.M., 145
Sülzle, D.E., 75

Tajima, S., 55
Taylor, W.S., 45
Tkacyzk, M., 9
Tobita, S., 55

von Bunau, G., 215

Wallin, E., 187
Wanczek, K.P., 127
Wang, J., R13
Wang, M., 135
Wang, X., R13
Watts, P., 81
Weiske, T., 75

Xiang, X., 33
Yanagisawa, T., 55

Zhao, H., 195

International Journal of Mass Spectrometry and Ion Processes 125 (1993) 275–278
Elsevier Science Publishers B.V. All rights reserved

SUBJECT INDEX

Ab initio calculations
Is the tropylium ion (Tr^+) formed from toluene at its thermochemical threshold? R7
Absorption pathway
Nanosecond laser excitation of benzene-chromium-tricarbonyl and dibenzene-chromium at 351, 248 and 193 nm. Wavelength-dependent competition between ionization and dissociation 215
Acid/base equilibrium
Electrospray mass spectrometry of some proteins and the aqueous solution acid/base equilibrium model in the negative ion detection mode 145
Afterglow
Application of a sputtering glow discharge ion source to a flowing afterglow study of transition metal ion chemistry 45
Appearance energies
Electron impact ionisation of fullerenes: appearance energies of C_{60}^+, C_{60}^{2+} and C_{60}^{3+} R1

Benzylium
Is the tropylium ion (Tr^+) formed from toluene at its thermochemical threshold? R7
Buckminsterfullerene
Electron impact ionisation of fullerenes: appearance energies of C_{60}^+, C_{60}^{2+} and C_{60}^{3+} R1

C_{60} fullerenes
Electron impact ionisation of fullerenes: appearance energies of C_{60}^+, C_{60}^{2+} and C_{60}^{3+} R1
Carbon dioxide
A novel magnetic sector mass spectrometer for isotope ratio determination of light gases 241
Cations
Mechanisms of fragmentation of cationic peptide ions 195
Cesium
Highly excited states of cesium from a diffusion source: gas phase ionization reactions 187
Charge inversion
On the application of the Landau–Zener curve crossing model to double charge transfer reactions 155
Chemical ionization
Penning ionization of fullerenes: reactions of C_{60} and C_{70} with metastable atoms of the rare gases He, Ne, Ar and Kr R13
Clusters
Electron impact ionisation of fullerenes: appearance energies of C_{60}^+, C_{60}^{2+} and C_{60}^{3+} R1
Collisional activation
Experiments aimed at generating the long-sought-after ethylenedione (O=C=C=O) by neutralization–reionization mass spectrometry 75
Generation and identification of neutral and cationic hydrogensilaisocyanid ("iminosilicon", HNSi) by neutralization–reionization mass spectrometry and GAUSSIAN-1 ab initio molecular orbital calculations 267
Cumulenes
Experiments aimed at generating the long-sought-after ethylenedione (O=C=C=O) by neutralization–reionization mass spectrometry 75
Cyclotron frequency
Suppression, amplification and application of the third harmonic of the cyclotron frequency in ion cyclotron resonance spectrometry 127
Cyclotron radius
Optimal cyclotron radius for high resolution FT-ICR spectrometry 1
Cylindrical ion trap
Image charge-induced ion cyclotron orbital frequency shift for orthorhombic and cylindrical FT-ICR ion traps 33

Deuterium labeling
Metastable ion study of fluorinated organic compounds. Part 3. α-α-α-Trifluoroanisole and α-α-α-trifluorocresols 55
Diffusion
Highly excited states of cesium from a diffusion source: gas phase ionization reactions 187
Discharge
Application of a sputtering glow discharge ion source to a flowing afterglow study of transition metal ion chemistry 45
Double charge transfer
On the application of the Landau–Zener curve crossing model to double charge transfer reactions 155

Electron capture
Gas phase ionic reactions of freons and related compounds: reactions of some halogenated methanes with O_2^- and O_2^- 81

Electrospray
Electrospray mass spectrometry of some proteins and the aqueous solution acid/base equilibrium model in the negative ion detection mode 145
Electrostatic ion guide
An electrostatic ion guide for efficient transmission of low energy externally formed ions into a Fourier transform ion cyclotron resonance mass spectrometer 135
Excitation inhomogeneities
Excitation electric field inhomogeneities in a cubic ion cyclotron resonance cell: ion motion far away from the cyclotron frequency 95
Excited states
Highly excited states of cesium from a diffusion source: gas phase ionization reactions 187
External ion source
An electrostatic ion guide for efficient transmission of low energy externally formed ions into a Fourier transform ion cyclotron resonance mass spectrometer 135

Flowing afterglow
Penning ionization of fullerenes: reactions of C_{60} and C_{70} with metastable atoms of the rare gases He, Ne, Ar and Kr R13
Fluorinated organic compounds
Metastable ion study of fluorinated organic compounds. Part 3. α-α-α-Trifluoroanisole and α-α-α-trifluorocresols 55
Fourier transform mass spectrometry
Optimal cyclotron radius for high resolution FT-ICR spectrometry 1
Freons
Gas phase ionic reactions of freons and related compounds: reactions of some halogenated methanes with O^- and O_2^- 81
FT-ICR
An electrostatic ion guide for efficient transmission of low energy externally formed ions into a Fourier transform ion cyclotron resonance mass spectrometer 135
Excitation electric field inhomogeneities in a cubic ion cyclotron resonance cell: ion motion far away from the cyclotron frequency 95
Image charge-induced ion cyclotron orbital frequency shift for orthorhombic and cylindrical FT-ICR ion traps 33
Optimal cyclotron radius for high resolution FT-ICR spectrometry 1
Fullerenes
Penning ionization of fullerenes: reactions of C_{60} and C_{70} with metastable atoms of the rare gases He, Ne, Ar and Kr R13

GAUSSIAN-1 ab initio calculations
General and identification of neutral and cationic hydrogensilaisocyanid ("iminosilicon", HNSi) by neutralization–reionization mass spectrometry and GAUSSIAN-1 ab initio molecular orbital calculations 267

ICR
Suppression, amplification and application of the third harmonic of the cyclotron frequency in ion cyclotron resonance spectrometry 127
Image charge-induced shift
Image charge-induced ion cyclotron orbital frequency shift for orthorhombic and cylindrical FT-ICR ion traps 33
Iminosilicon
Generation and identification of neutral and cationic hydrogensilaisocyanid ("iminosilicon", HNSi) by neutralization–reionization mass spectrometry and GAUSSIAN-1 ab initio molecular orbital calculations 267
Interstellar chemistry
Generation and identification of neutral and cationic hydrogensilaisocyanid ("iminosilicon", HNSi) by neutralization–reionization mass spectrometry and GAUSSIAN-1 ab initio molecular orbital calculations 267
Ion isolation
Mass-selective isolation of ions stored in a quadrupole ion trap. Part 2. A simulation study of consecutive isolation 9
Ion transmission
An electrostatic ion guide for efficient transmission of low energy externally formed ions into a Fourier transform ion cyclotron resonance mass spectrometer 135
Ion trap
The non-linear ion trap. Part 4. Mass selective instability scan with multipole superposition 165
Ion/molecule reactions
Gas phase ionic reactions of freons and related compounds: reactions of some halogenated methanes with O^- and O_2^- 81
Ionic fragmentation mechanism
Nanosecond laser excitation of benzen-chromium-tricarbonyl and dibenzene-chromium at 351, 248 and 193 nm. Wavelength-dependent competition between ionization and dissociation 215
Ionization
Application of a sputtering glow discharge ion source to a flowing afterglow study of transition metal ion chemistry 45

Ionization potentials
Ionization potentials of tantalum clusters with three to 64 atoms 207
Ionization processes
Isotope, molecular and surface effects on hyperthermal surface induced dissociative ionization 63
Isotope effects
Isotope, molecular and surface effects on hyperthermal surface induced dissociative ionization 63
Isotope ratio determination
A novel magnetic sector mass spectrometer for isotope ratio determination of light gases 241

Landau–Zener
On the application of the Landau–Zener curve crossing model to double charge transfer reactions 155
Laser desorption
Optimization of a commercial quadrupole mass spectrometer for time-of-flight measurements of laser desorption 229
Laser ionization
Laser ionization studies of nitroaromatic and NO_x ($x = 1$ or 2) molecules in the region 224–238 nm R21
Light gases
A novel magnetic sector mass spectrometer for isotope ratio determination of light gases 241

Mass selective instability
The non-linear ion trap. Part 4. Mass selective instability scan with multipole superposition 165
Mass spectrometry
Mass-selective isolation of ions stored in a quadrupole ion trap. Part 2. A simulation study of consecutive isolation 9
Mechanisms
Mechanisms of fragmentation of cationic peptide ions 195
Metal clusters
Ionization potentials of tantalum clusters with three to 64 atoms 207
Metal ions
Mechanisms of fragmentation of cationic peptide ions 195
Metastable atoms
Penning ionization of fullerenes: reactions of C_{60} and C_{70} with metastable atoms of the rare gases He, Ne, Ar and Kr R13
Metastable ion decay
Nanosecond laser excitation of benzene-chromium-tricarbonyl and dibenzene-chromium at 351, 248 and 193 nm. Wavelength-dependent competition between ionization and dissociation 215
Methane
A novel magnetic sector mass spectrometer for isotope ratio determination of light gases 241MIKE spectra
Metastable ion study of fluorinated organic compounds. Part 3. α-α-α-Trifluoroanisole and α-α-α-trifluorocresols 55
Multiphoton ionization dissociation
Nanosecond laser excitation of benzene-chromium-tricarbonyl and dibenzene-chromium at 351, 248 and 193 nm. Wavelength-dependent competition between ionization and dissociation 215
Multipole field
The non-linear ion trap. Part 4. Mass selective instability scan with multipole superposition 165

Negative ion
Electrospray mass spectrometry of some proteins and the aqueous solution acid/base equilibrium model in the negative ion detection mode 145
Neutralization–reionization
Experiments aimed at generating the long-sought-after ethylenedione (O=C=C=O) by neutralization–reionization mass spectrometry 75
Generation and identification of neutral and cationic hydrogensilaisocyanid ("iminosilicon", HNSi) by neutralization–reionization mass spectrometry and GAUSSIAN-1 ab initio molecular orbital calculations 267
Nitroaromatic
Laser ionisation studies of nitroaromatic and NO_x ($x = 1$ or 2) molecules in the region 224–238 nm R21
NO
Laser ionisation studies of nitroaromatic and NO_x ($x = 1$ or 2) molecules in the region 224–238 nm R21
Non-linear fields
The non-linear ion trap. Part 4. Mass selective instability scan with multipole superposition 165
Non-Maxwellian distribution
Optimization of a commercial quadrupole mass spectrometer for time-of-flight measurements of laser desorption 229
Novel rearrangement
Metastable ion study of fluorinated organic compounds. Part 3. α-α-α-Trifluoroanisole and α-α-α-trifluorocresols 55

Ortho effect
Metastable ion study of fluorinated organic compounds. Part 3. α-α-α-Trifluoroanisole and α-α-α-trifluorocresols 55
Orthorhombic ion trap
Image charge-induced ion cyclotron orbital frequency shift for orthorhombic and cylindrical FT-ICR ion traps 33

Penning ionization
Penning ionization of fullerenes: reactions of C_{60} and C_{70} with metastable atoms of the rare gases He, Ne, Ar and Kr R13
Peptides
Mechanisms of fragmentation of cationic peptide ions 195
Perturbation theory
Resonance excitation of ions stored in a quadrupole ion trap. Part 4. Theory of quadrupolar excitation 171
Photoionization efficiency spectra
Ionization potentials of tantalum clusters with three to 64 atoms 207
Plasma
Application of a sputtering glow discharge ion source to a flowing afterglow study of transition metal ion chemistry 45
Polycarbon oxides
Experiments aimed at generating the long-sought-after ethylenedione (O=C=C=O) by neutralization–reionization mass spectrometry 75
Proteins
Electrospray mass spectrometry of some proteins and the aqueous solution acid/base equilibrium model in the negative ion detection mode 145

Quadrupole ion trap
Mass-selective isolation of ions stored in a quadrupole ion trap. Part 2. A simulation study of consecutive isolation 9
Resonance excitation of ions stored in a quadrupole ion trap. Part 4. Theory of quadrupolar excitation 171
Quadrupole mass spectrometer
Optimization of a commercial quadrupole mass spectrometer for time-of-flight measurements of laser desorption 229

Resonance excitation
Resonance excitation of ions stored in a quadrupole ion trap. Part 4. Theory of quadrupolar excitation 171
Resonance frequencies
Resonance excitation of ions stored in a quadrupole ion trap. Part 4. Theory of quadrupolar excitation 171
RRKM-QET
Is the tropylium ion (Tr^+) formed from toluene at its thermochemical threshold? R7

SIFT
Gas phase ionic reactions of freons and related compounds: reactions of some halogenated methanes with O^- and O_2^- 81
Stored ions
Resonance excitation of ions stored in a quadrupole ion trap. Part 4. Theory of quadrupolar excitation 171
Surface effects
Isotope, molecular and surface effects on hyperthermal surface induced dissociative ionization 63

Tandem mass spectrometry
Experiments aimed at generating the long-sought-after ethylenedione (O=C=C=O) by neutralization–reionization mass spectrometry 75
Mass-selective isolation of ions stored in a quadrupole ion trap. Part 2. A simulation study of consecutive isolation 9
Tantalum
Ionization potentials of tantalum clusters with three to 64 atoms 207
Third harmonic
Suppression, amplification and application of the third harmonic of the cyclotron frequency in ion cyclotron resonance spectrometry 127
Time of flight
Highly excited states of cesium from a diffusion source: gas phase ionization reactions 187
Optimization of a commercial quadrupole mass spectrometer for time-of-flight measurements of laser desorption 229
Time-resolved photoionization
Is the tropylium ion (Tr^+) formed from toluene at its thermochemical threshold? R7
Toluene
Is the tropylium ion (Tr^+) formed from toluene at its thermochemical threshold? R7
Trajectory simulation
Mass-selective isolation of ions stored in a quadrupole ion trap. Part 2. A simulation study of consecutive isolation 9
Transition metal
Application of a sputtering glow discharge ion source to a flowing afterglow study of transition metal ion chemistry 45
Tropylium
Is the tropylium ion (Tr^+) formed from toluene at its thermochemical threshold? R7

Van der waals film
Optimization of a commercial quadrupole mass spectrometer for time-of-flight measurements of laser desorption 229

z-Axis ejection
Excitation electric field inhomogeneities in a cubic ion cyclotron resonance cell: ion motion far away from the cyclotron frequency 95